

Literatur zu

Kreißende mit Substanzkonsum Bedeutung in der geburtshilflichen Anästhesie

Felix Kork • Robin Kleinwächter • Lutz Kaufner • Edith Weiß-Gerlach • Jan-Peter Siedentopf • Claudia Spies

- 1 Die Drogenbeauftragte der Bundesregierung. www.drogenbeauftragte.de, Stand 30.08.2011
- 2 Kleinwächter R et al. Improving the detection of illicit substance use in preoperative anesthesiological assessment. *Minerva Anesthesiol* 2010; 76: 29–37
- 3 Centers for Disease Control and Prevention. www.cdc.gov, Stand 29.08.2011
- 4 Schneider S et al. Who smokes during pregnancy? An analysis of the German Perinatal Quality Survey 2005. *Public Health* 2008; 122: 1210–1216
- 5 Lester BM, Androozzi L, Appiah L. Substance use during pregnancy: time for policy to catch up with research. *Harm Reduct J* 2004; 1: 5
- 6 Kip MJ et al. New strategies to detect alcohol use disorders in the preoperative assessment clinic of a German university hospital. *Anesthesiology* 2008; 109: 171–179
- 7 Kork F, Neumann T, Spies C. Perioperative management of patients with alcohol, tobacco and drug dependency. *Curr Opin Anaesthesiol* 2010; 23: 384–390
- 8 Neumann T, Spies C. Use of biomarkers for alcohol use disorders in clinical practice. *Addiction* 2003; 98: 81–91 (Suppl. 2)
- 9 Spies C et al. Perioperative morbidity and mortality in chronic alcoholic patients. *Alcohol Clin Exp Res* 2001; 25: 164–170

10 Frost EA, Gist RS, Adriano E. Drugs, alcohol, pregnancy, and the fetal alcohol syndrome. *Int Anesthesiol Clin* 2011; 49: 119–133

11 Kotani N et al. Recovery of intraoperative microbicidal and inflammatory functions of alveolar immune cells after a tobacco smoke-free period *Anesthesiology* 2001; 94: 999–1006

12 Møller AM, Maaløe R, Pedersen T. Postoperative intensive care admittance: the role of tobacco smoking. *Acta Anaesthesiol Scand* 2001; 45: 345–348

13 Tønnesen H et al. Smoking and alcohol intervention before surgery: evidence for best practice. *Br J Anaesth* 2009; 102: 297–306

14 Creekmore FM, Lugo RA, Weiland KJ. Postoperative opiate analgesia requirements of smokers and nonsmokers. *Ann Pharmacother* 2004; 38: 949–953

15 Cornelius MD, Day NL. Developmental consequences of prenatal tobacco exposure. *Curr Opin Neurol* 2009; 22: 121–125

16 Wong S, Ordean A, Kahan M. Substance use in pregnancy. *J Obstet Gynaecol Can* 2011; 33: 367–384

17 Mansi G et al. Neonatal urinary cotinine correlates with behavioral alterations in newborns prenatally exposed to tobacco smoke. *Pediatr Res* 2007; 61: 257–261

18 Schneider S, Huy C, et al. Smoking cessation during pregnancy: a systematic literature review. *Drug Alcohol Rev* 2010; 29: 81–90

19 Lerchl-Wanie G, Angster R. [Perioperative analgesia for opioid tolerant patients]. *Anaesthesist* 2010; 59: 657–670; quiz 671–672

20 Kopf A, Banzhaf A, Stein C. Perioperative management of the chronic pain patient. *Best Pract Res Clin Anaesthesiol* 2005; 19: 59–76

- 21** Bryson EO, Frost EA. The perioperative implications of tobacco, marijuana, and other inhaled toxins. *Int Anesthesiol Clin* 2011; 49: 103–118
- 22** Benson MK, Bentley AM. Lung disease induced by drug addiction. *Thorax* 1995; 50: 1125–1127
- 23** Bornheim LM et al. Induction and genetic regulation of mouse hepatic cytochrome P450 by cannabidiol. *Biochem Pharmacol* 1994; 48: 161–71
- 24** Oda Y et al. Involvement of human liver cytochrome P4502B6 in the metabolism of propofol. *Br J Clin Pharmacol* 2001; 51: 281–285
- 25** Kuczkowski KM. Peripartum care of the cocaine-abusing parturient: are we ready? *Acta Obstet Gynecol Scand* 2005; 84: 108–116
- 26** Zuckerman B et al. Effects of maternal marijuana and cocaine use on fetal growth. *N Engl J Med* 1989; 320: 762–768
- 27** Schneider M. Cannabis use in pregnancy and early life and its consequences: animal models. *Eur Arch Psychiatry Clin Neurosci* 2009; 259: 383–393
- 28** Kuczkowski KM. Anesthetic implications of drug abuse in pregnancy. *J Clin Anesth* 2003; 15: 382–394
- 29** Boylan JF et al. Cocaine toxicity and isoflurane anesthesia: hemodynamic, myocardial metabolic, and regional blood flow effects in swine. *J Cardiothorac Vasc Anesth* 1996; 10: 772–777
- 30** Hill GE, Ogunnaike BO, Johnson ER. General anaesthesia for the cocaine abusing patient. Is it safe? *Br J Anaesth* 2006; 97: 654–657
- 31** Johnston RR, Way WL, Miller RD. Alteration of anesthetic requirement by amphetamine. *Anesthesiology* 1972; 36: 357–363

- 32** Michel R, Adams AP. Acute amphetamine abuse. Problems during general anaesthesia for neurosurgery. *Anaesthesia* 1979; 34: 1016–1019
- 33** Samuels SI, Maze A, Albright G. Cardiac arrest during cesarean section in a chronic amphetamine abuser. *Anesth Analg* 1979; 58: 528–530
- 34** Najt P, Fusar-Poli P, Brambilla P. Co-occurring mental and substance abuse disorders: a review on the potential predictors and clinical outcomes. *Psychiatry Res* 2011; 186: 159–164
- 35** Doherty M et al. Hyperalgesic responses in methadone maintenance patients. *Pain* 2001; 90: 91–96
- 36** Bischoff P, Rundshagen I. Awareness under general anesthesia. *Dtsch Arztebl Int* 2011; 108: 1–7
- 37** Kuczkowski KM. The cocaine abusing parturient: a review of anesthetic considerations. *Can J Anaesth* 2004; 51: 145–154