

L. CAO, Z. LIN, F. PENG, W. WANG, R. HUANG, C. WANG,* J. YAN, J. LIANG, Z. ZHANG, T. ZHANG, L. LONG, J. SUN,* W. LIN* (PEKING UNIVERSITY, BEIJING AND XIAMEN UNIVERSITY, P. R. OF CHINA; UNIVERSITY OF CHICAGO, USA; STOCKHOLM UNIVERSITY, SWEDEN)

Self-Supporting Metal–Organic Layers as Single-Site Solid Catalysts

Angew. Chem. Int. Ed. 2016, 55, 4962–4966.

Hydrosilylations Catalyzed by Iron-Doped Metal–Organic Layers

Category

Polymer-Supported Synthesis

Key words

metal–organic layers

heterogeneous catalysis

hafnium


iron

hydrosilylation


alkenes

Synfact
of the month

Preparation:



Examples:



Catalyst	Yield (%)
Fe-TPY-MOL (0.02 mol%):	100 / 0
Fe-TPY-MOF1 (0.02 mol%):	0 / 0 (6 d)
Fe-TPY-MOF2 (0.02 mol%):	30 / 0
homogeneous Fe-TPY (0.2 mol%):	3 / 43

Significance: Metal–organic layers (MOLs) composed of $[\text{Hf}_6\text{O}_4(\text{OH})_4(\text{HCO}_2)_6]$ secondary building units and 4,4',4''-benzene-1,3,5-triyltribenzoate (BTB) bridging ligands were prepared. The MOL structures were doped with 4'-(4-carboxylatophenyl)-2,2':6',2''-terpyridine-5,5''-dicarboxylate (TPY) and FeBr_2 to afford the solid material Fe-TPY-MOL, which catalyzed the hydrosilylation of terminal olefins. For example, the reaction of styrene (**1**) with phenylsilane (**2**) proceeded in the presence of Fe-TPY-MOL to give the linear silane **3** in quantitative yield.

Comment: In the reaction of styrene (**1**) with phenylsilane (**2**), the Fe-TPY-MOL catalyst showed a better performance than the metal–organic framework-based catalysts Fe-TPY-MOF1 (prepared from an interlocked Hf-MOF instead of the MOLs), Fe-TPY-MOF2 (prepared from a stacked Hf-MOF instead of the MOLs), or the homogeneous counterpart Fe-TPY (prepared from FeBr_2 , TPY, and NaBHET_3). When Fe-TPY-MOF1, Fe-TPY-MOF2, and Fe-TPY were employed as catalysts for the reaction, the ratios of products **3** and **4** were 0:0, 30:0, and 3:43, respectively.