P. DESAI, S. S. PFEIFFER, D. L. BOGER* (THE SCRIPPS RESEARCH INSTITUTE, LA JOLLA, USA)

Synthesis of the Chlorofusin Cyclic Peptide: Assignment of the Asparagine Stereochemistry
*Org. Lett.* **2003**, *5*, 5047–5050.

# Chlorofusin Cyclic Peptide Synthesis




**Significance:** Cyclic peptides with unique molecular topologies have attracted attention from the fields of biochemistry and medicinal chemistry. In 2003, Boger and co-workers synthesized the cyclic peptide of chlorofusin, consisting of nine amino acid residues.

**Comment:** The nine amino acids were assembled from four subunits. Subsequent cyclization using coupling reagents proceeded smoothly to give the 27-membered macrocycle in a moderate yield.

**SYNFACTS Contributors:** Hisashi Yamamoto, Tomohiro Hattori
Synfacts 2020, 16(03), 0363 Published online: 18.02.2020
**DOI:** 10.1055/s-0039-1691660; **Reg-No.:** H02620SF

© 2020. Thieme. All rights reserved.
Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany



**Category**
Peptide Chemistry

**Key words**
chlorofusin
cyclic peptides
coupling reagents
macrocycles

Synfact Classic

This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.