


R. L. SVEC, P. J. HERGENROTHER\* (UNIVERSITY OF ILLINOIS AT URBANA-CHAMPAIGN, USA)

Imidazotetrazines as Weighable Diazomethane Surrogates for Esterifications and Cyclopropanations


Angew. Chem. Int. Ed. 2020, 59, 1857–1862.

## A Repurposed Chemotherapy Drug as C1 Synthron


### TMZ for esterification:




### Selected examples:



### TMZ for cyclopropanation:



### Selected examples:



**Significance:** The reagent diazomethane is employed in the formation of methyl esters, as well as for cyclopropanation reactions; however, it poses a severe risk of explosion and inhalation toxicity. In the search for alternative reagents, the authors identify the cancer chemotherapy drug temozolomide (TMZ), which is designed to methylate DNA in cancer cells.

**Comment:** TMZ is a weighable solid, non-explosive and not acutely toxic. Upon hydrolysis and release of methyl diazonium, TMZ methylates a broad range of carboxylic acids. Notably, the protecting groups THP and MOM are stable to the reaction conditions. Furthermore, catalysis with Fe(TPP)Cl enables the cyclopropanation of several styrenes.

SYNFACTS Contributors: Dirk Trauner, Belinda E. Hetzler  
Synfacts 2020, 16(03), 0341 Published online: 18.02.2020  
DOI: 10.1055/s-0039-1691716; Reg-No.: T00420SF

© 2020, Thieme. All rights reserved.  
Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany

Category

Chemistry in  
Medicine and  
Biology

Key words

methylation

temozolomide

diazomethane  
surrogates

Synfact  
of the  
Month

This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.