

# Erratum to: Percutaneous Endoscopic Gastrostomy Tube Placement: A Single Center Experience

Ankur Gupta<sup>1</sup> Anil K. Singh<sup>2</sup> Deepak Goel<sup>3</sup> Akash N. Gaiind<sup>4</sup> Shireesh Mittal<sup>5</sup>

<sup>1</sup>Department of Gastroenterology, Max Hospital, Dehradun, Uttarakhand, India

<sup>2</sup>Department of Neurosurgery, Max Hospital, Dehradun, Uttarakhand, India

<sup>3</sup>Department of Neurology, Max Hospital, Dehradun, Uttarakhand, India

<sup>4</sup>Department of Oncosurgery, Max Hospital, Dehradun, Uttarakhand, India

<sup>5</sup>Department of Radiology, Max Hospital, Dehradun, Uttarakhand

**Address for correspondence** Dr. Ankur Gupta, Department of Gastroenterology, Sahara Hospital, Viraj Khand, Gomti Nagar, Lucknow 226010, India (e-mail: mail.guptaankur@gmail.com).

J Digest Endosc 2019;10:e1

## Erratum

Authors have informed the Publisher that they wish to update affiliations 1-4 in the above-mentioned article, published eFirst on December 12, 2019. DOI of the original article is DOI: 10.1055/s-0039-3401391.

Correct affiliations are as follows:

<sup>1</sup>Department of Gastroenterology, Max Hospital, Dehradun, Uttarakhand, India

<sup>2</sup>Department of Neurosurgery, Max Hospital, Dehradun, Uttarakhand, India

<sup>3</sup>Department of Neurology, Max Hospital, Dehradun, Uttarakhand, India

<sup>4</sup>Department of Oncosurgery, Max Hospital, Dehradun, Uttarakhand, India