


Synlett

Accounts and Rapid Communications in Chemical Synthesis

March 2, 2022 • Vol. 33, 301–400



Dual Ligand-Enabled Late-Stage Fujiwara–Moritani Reactions

C. Santiago, H. Chen, A. Mondal, M. van Gemmeren

4




Thieme

X.-T. Liu

Y. Wu

Q.-W. Zhang*

University of Science and Technology of China, P. R. of China




L. Kiss*

L. Ouchakour

M. Nonn*


A. M. Remete

Research Centre for Natural Sciences, Hungary
University of Szeged, Hungary



Q.-K. Kang


H. Shi*

Westlake University, P. R. of China
Westlake Institute for Advanced Study, P. R. of China

F. Berger

T. Ritter*

Max-Planck-Institut für Kohlenforschung, Germany



T. Rogge

T. Müller


H. Simon

X. Hou

S. Wagschal


D. Broggini*

L. Ackermann*


Georg-August-Universität Göttingen, Germany
Janssen Pharmaceutica, Switzerland

H. Luo
D. Wang
M. Wang*
Z. Shi*


Nanjing University,
P. R. of China



C. Santiago
H. Chen
A. Mondal
M. van Gemmeren*
University of Münster, Germany



W. Wang
K. Yao
F. Wu*
Ningbo University, P. R. of China



Synlett 2022, 33, 367–370
DOI: 10.1055/s-0041-1737759

M. Ito*

Y. Hasegawa


S. Saito

A. Onda

K. Higuchi

S. Sugiyama*

Meiji Pharmaceutical University,
Japan




Synlett 2022, 33, 371–375
DOI: 10.1055/s-0040-1719865

H. Xiong*

A. T. Hoye*

Avid Radiopharmaceuticals/Eli
Lilly and Company, USA



- Scalable
- Broad functional-group tolerance
- Mild conditions
- Inexpensive reagents
- Highly regioselective

Synlett 2022, 33, 376–380
DOI: 10.1055/s-0041-1737761


Y. Zheng

W. Liu

X. Tian

Y.-L. Ren*

Henan Agricultural University,
P. R. of China



Synlett 2022, 33, 381–385
DOI: 10.1055/a-1705-0247

K. Jia

W. Ma

Y. Yan

C. Zhang

C. Jiang*

Nanjing University of Science
and Technology, P. R. of China



- metal-free
- mild and efficient conditions
- one-pot synthesis of diaryl-substituted pyrazolo[1,5-*a*]pyridines
- 13 examples, up to 78% yield

Synlett 2022, 33, 386–390
DOI: 10.1055/s-0041-1737760

M. Teramoto*

M. Imoto

M. Takeda

T. Mizuno*

A. Nomoto

A. Ogawa

Seika Corporation, Japan



Synlett 2022, 33, 391–395
DOI: 10.1055/s-0041-1737803

K. Kobayashi


Y. Senoo

T. Toma

T. Fukuyama*

S. Yokoshima*

Nagoya University, Japan



L. T. Ibbotson
K. E. Christensen
M. Genov
A. Pretsch
D. Pretsch
M. G. Moloney*

University of Oxford, UK
 Oxford Suzhou Centre for
 Advanced Research, P. R. of
 China

