

Synlett

Accounts and Rapid Communications in Chemical Synthesis


March 1, 2024 • Vol. 35, 367–483

Special Issue

11th Singapore International Chemistry Conference
(SICC-11)

Editor: David A. Nicewicz

Guest Editor: Shunsuke Chiba



Chiral Bifunctional Sulfide-Catalyzed Enantioselective Synthesis of α -Substituted γ -Lactones Bearing a γ -Quaternary Stereocenter

T. Mori, S. Sumida, Y. Furuya, S. Shirakawa

4



Thieme

Synlett

Synlett 2024, 35, 367–378
DOI: 10.1055/a-2136-3609


Y. Nishimoto*
M. Yasuda*

Osaka University, Japan

Acetate/Alkoxide/Halide Shuttle Systems Mediated by Lewis Acid Catalysts for Insertion Reaction of a One-Carbon Unit into Carbon–Carbon or Carbon–Halogen Bonds

Cluster Account

367



Synlett

Synlett 2024, 35, 379–393
DOI: 10.1055/a-2131-3448


Y. Kondo
H. Morimoto*
T. Ohshima*

Kyushu University, Japan
Kyushu Institute of Technology,
Japan

Development of Novel Catalytic Direct Syntheses of N-Unsubstituted Ketimines and Their Applications to One-Pot Reactions


Cluster Account

379




W. H. Kim
 J. H. Park
 S. B. Lee
 M. Israr
 B. J. Koo
 S. B. Kim
 S. Kim
 H. Y. Bae*

Sungkyunkwan University,
Republic of Korea



I. K. W. On
 Y. Zhu*


National University of Singapore,
Singapore



Ionic Chiral Catalysts Enable Long-Range Stereocontrol

T. Koike*

Nippon Institute of Technology,
Japan




aromatics: anthracene, naphthalene, benzene

Synlett 2024, 35, 419–422
DOI: 10.1055/a-2047-8456

T. Sato
S. N. Karad
J. Shimokawa*
H. Yorimitsu*


Kyoto University, Japan



Synlett 2024, 35, 423–426
DOI: 10.1055/a-2102-8014

R. Yagita
K. Irie
C. Tsukano*


Kyoto University, Japan



Synlett 2024, 35, 427–430
DOI: 10.1055/a-2106-1345

A. Kage
Y. Okuyama
E. Kato
T. Matagawa
S. Kawano
S. Simizu
N. Chida
T. Okamura*
T. Sato*


Keio University, Japan



M. Hosoya

A. Mori

K. Okano*



Kobe University, Japan
JST, Japan

R. Inaba

T. Kikuchi

H. Imoto*

K. Naka*

Kyoto Institute of Technology,
Japan
JST, Japan*One-pot synthesis*


Y. Ando*

D. Ogawa

F. Wakita


K. Suzuki

K. Ohmori*

Tokyo Institute of Technology,
Japan


L. Lezius
J. Reimler
N. Döben
M. Hamm
C. G. Daniliuc
A. Studer*

University of Münster, Germany




K. Aida
E. Ota*
J. Yamaguchi*

Waseda University, Japan



I. Fujii
R. Higo
K. Semba
Y. Nakao*

Kyoto University, Japan




P. B. De

L. Ilies*

K. Takai*

S. Asako*

RIKEN Center for Sustainable Resource Science, Japan
Graduate School of Natural Science and Technology Okayama University, Japan


X. Yuan

Y. Qu

Y. Li*

H. Bao*

Center for Excellence in Molecular Synthesis, P. R. of China



K. Ikeda

S. Harada*

Y. Hashimoto


H. Homma

M. Kono

N. Zumbrägel

H. Gröger*

T. Nemoto*


Chiba University, Japan
Bielefeld University, Germany

S. Hayashi

K. Takasu*

H. Takikawa*

Kyoto University, Japan



T. Mori

S. Sumida

Y. Furuya

S. Shirakawa*

Nagasaki University, Japan

