

Intestinal Spirochetosis in an Immunocompetent Patient

Amal Joseph¹ Veena Vijayan² Roopa Rachel Paulose³ Harikumar R. Nair¹

¹Department of Gastroenterology and Hepatology, Ernakulam Medical Centre, Kochi, Kerala, India

² Department of Pathology, Ernakulam Medical Centre, Kochi, Kerala, India

³Department of Pathology, Amrita Institute of Medical Sciences,

Kochi, Kerala, India

Address for correspondence Harikumar R. Nair, MBBS, MD, DM, MRCP (UK), FRCP (Edin), Department of Gastroenterology and Hepatology, Ernakulam Medical Centre, Kochi, Kerala 682028, India (e-mail: harikumnair@yahoo.co.in).

J Gastrointest Infect

Intestinal spirochetosis (IS) is characterized by the presence of filamentous nontreponemal anaerobic spirochetes on the intestinal mucosa surface, initially documented in 1967.¹ IS is a rare infection of the gastrointestinal tract caused by the colonization of colonic mucosa by spirochetes. There is still much debate in the literature as to whether IS is a pathogenic entity or a commensal resident. While most cases remain asymptomatic, certain instances manifest with symptoms, including pain, diarrhea, and rectal bleeding. This is seen particularly among immunocompromised and homosexual individuals. Many organisms within the Spirochaetes phylum are pathogenic: like the Leptospira species, which causes leptospirosis, Borrelia burgdorferi which causes Lyme disease, and finally, Brachyspira pilosicoli, Brachyspira aalborgi, and Serpulina pilosicoli are most associated with human IS. On colonoscopy, some patients with IS have no remarkable findings, while others have had polyps, mucosal erosions, or ulcerations.² We present the case of an immunocompetent 56-year-old man with complaints of abdominal pain and mucus in stools for 3 weeks with no history of diarrhea or blood in stools. Colonoscopy revealed patchy erythema and loss of haustration in the proximal transverse colon (>Fig. 1). A biopsy was taken which revealed mucosa with moderate inflammatory cell infiltrations, edema and congestion, and colonic mucosal fragments with surface epithelium showing a basophilic fuzzy appearance (Fig. 2). Following this special stain was done including periodic acid-Schiff and Warthin-Starry stain confirming the diagnosis of IS (**Fig. 3**). Due to this finding, the patient underwent a rapid plasma reagin and human immunodeficiency virus tests which were found to be negative. The management decision

received April 11, 2024 first decision May 3, 2024 accepted May 6, 2024

DOI https://doi.org/ 10.1055/s-0044-1787552. ISSN 2277-5862.

is based on the presence of clinical symptoms. Metronidazole therapy is useful in symptomatic patients, while observation is sufficient in asymptomatic patients.³ In our case, the patient was started on oral metronidazole, which resulted in symptomatic improvement.

Ethical Statement

All efforts have been made to ensure the privacy and confidentiality of the patient, and any potential identifiers have been removed or anonymized.



Fig. 1 Colonoscopy image of proximal transverse colon showing edematous mucosa with patchy erythema, nodularity, and loss of haustration.

© 2024. Gastroinstestinal Infection Society of India. All rights reserved.

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial-License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (https://creativecommons.org/ licenses/by-nc-nd/4.0/)

Thieme Medical and Scientific Publishers Pvt. Ltd., A-12, 2nd Floor, Sector 2, Noida-201301 UP, India



Fig. 2 Histopathologic image of proximal transverse colon, hematoxylin and eosin (H&E), 200 \times .



Fig. 3 Histopathology of proximal transverse colon showing numerous Warthin–Starry reactive organisms, Warthin–Starry stain, $400 \times$.

Author Contributions

A.J.: Conceptualization, investigation, and writing-original draft. V.V.: Data curation, validation, and writingreview. R.R.P.: Validation and visualization. H.R.N.: Project administration, supervision, writing-review, and editing.

Data Availability Statement

There is no data associated with this work.

Informed Consent

Informed consent for the publication of identifiable information and imaging in this paper has been obtained from the patient involved. The individual was provided with detailed information about the nature and purpose of the publication, and their consent was documented voluntarily.

Funding

None.

Conflict of interest None declared.

Acknowledgment None.

References

- 1 Harland WA, Lee FD. Intestinal spirochaetosis. BMJ 1967;3(5567): 718–719
- 2 Tong YT, Younes M. Intestinal spirochetosis: case series and review of the literature. Ann Clin Lab Sci 2020;50(03):386–390
- 3 van Mook WN, Koek GH, van der Ven AJ, Ceelen TL, Bos RP. Human intestinal spirochaetosis: any clinical significance? Eur J Gastroenterol Hepatol 2004;16(01):83–87