

**References**

- 1 Marinello E, Leoncini R, Terzuoli I, Vannoni D, Porcelli B, Resconi G. Horm Met Res 2004; 36: 614–619
- 2 Eagon PK, Seguiti SM, Rogerson BJ, MacGuire TF, Porter LE, Seeley DH. Arch Bioch Biophys 1989; 268: 161–175
- 3 Wanke IE, Huang M, Rorstad OP. Peptides 1990; 11: 1157–1161
- 4 Michel G, Baulieu EE. Endocrinology 1980; 107: 2088–2098
- 5 Boesel RW, Klipper RW, Shain SA. Steroids 1980; 35: 157–177
- 6 SPSS Advances models 10.0. Chicago: Prentice Hall, Chicago 1999
- 7 Korte D de, Haverkort WA, Gennip AH van, Ross D. Anal Biochem 1985; 147: 197–209
- 8 Peters GJ, Abreu RA de, Oosterhof A, Veerkamp JH. Biochim Biophys Acta 1983; 759: 7–15
- 9 Goday A, Simmonds HA, Webster DR, Levinsky RJ, Watson AR, Hoffbrand AV. Clin Sci 1983; 65: 635–643
- 10 Mainwaring WIP, Manga FR, Peterken BM. Biochem J 1971; 123: 619–628
- 11 Matsui H, Suzuki H, Hosoya T. Endocrinol Jpn 1988; 35: 697–704
- 12 Stefano A Di, Pizzichini M, Marinello E. Biochim Biophys Acta 1987; 926: 1–7
- 13 Pizzichini M, Di Stefano A, Marinello E. J Nucl Med All 1985; 29: 135–137

**Erratum**

M. Elfving et al. Epitope Analysis of GAD65 Binding in both Cord Blood and at the Time of Clinical Diagnosis of Childhood Type 1 Diabetes. Horm Metab Res 2007; 39: 790–796

Table 2 was printed incorrectly. The correct version of Table 2 is as follows:

	<b>Designation</b>	<b>GAD65 epitope detected</b>
isoforms:		
Human GAD65 <sub>585</sub>	hGAD65	all
Rat GAD65 <sub>587</sub>	rGAD65	all
Rat GAD67 <sub>593</sub>	rGAD67	cross-reacting
fusion proteins:		
GAD65 <sub>(1–243)</sub> GAD67 <sub>(249–593)</sub>	N	N-terminal
GAD67 <sub>(1–249)</sub> GAD65 <sub>(249–423)</sub> GAD67 <sub>(426–593)</sub>	M	middle
GAD67 <sub>(1–426)</sub> GAD65 <sub>(423–585)</sub>	C	C-terminal
GAD67 <sub>(1–246)</sub> GAD65 <sub>(243–593)</sub>	M + C	middle and C-terminal

**Table 2** GAD65 isoforms and fusion proteins used for epitope analysis of GAD65 binding

h=human; r=rat